

You can download a PDF version of our entire catalog!

Low Pressure Misting
BRUMAIR Technologie
Pompe de Brumisation
Brumisateur autonome
Mistingfans
Kit prêt à l'emploi
Tubing nylon
|___ Tubes
|___ Porte-Buse
|___ Raccords
|___ Buses
|___ Accessoires
Filtration
Boitier d'automatisation
Brumisateur personnel
DISTRIBUTORS
Electric Holgen Heating



| |
|--|
| <p>Modèle BRNKN12AX</p> <p>MICRO misting kit -&nbsp;Low Price</p> <p>High Performance - very&nbsp;Low Price : 998 euros ex VAT</p> <p>Complete&nbsp;misting- system&nbsp;with High Pressure pump. This kit contains an axial pump unlike our other pumps which are pumps with plungers. The price of the kit is very&nbsp;low and allows a&nbsp;high pressure (70 bars)misting of&nbsp;very good quality at&nbsp;the lowest price!</p> <p>Implementation and very easy to use. According to the concept '&nbsp;Do it yourself ', the Brumair systems use flexible tubing andfastlock connexions that allow very easy and fast mounting, without any tools.</p> <p>Contains :</p> <ul style="list-style-type: none"> - 1 axial pump 1 liter per minute - 1 filter 10μ - blue inlet tubing for filter unit - 10mm low pressure PP tubing -10 meter hp tubing 8mm - 11 x 75cm hp tubing - 13 fittings for nozzles - 15 nozzles 0.2mm with anti-drip - 25 stainless steel clamps for 3/8"tubing - 2 end plugs, 1 T, 1 tube coupling, 1 drain sets - 3 nozzle plugs - 1 manual - suites for a space of 24M² <p>&nbsp;</p> <p>&nbsp;</p> <p>&nbsp;</p> |
| <p>998.00 euros</p> |

Low Pressure Misting

| Low Pressure Misting Kit |
|--|
| <p>Modèle BRMC560B12</p> <p>Do-it-Yourself Cooling Kit - 3/8 " (9mm) with 12 nozzles.</p> <p>This kit is very easy to install and allows misting with its advantages such as cooling of terraces, outdoor area's, sports sites, beaches, swimming pools, patio's, gardens, umbrellas, sites for animals. Reduces the temperature up to 14°C. Cools down people, pets and livestock. Eliminates insects. Clears up air of smoke and airborne particles. Increases humidity for greenhouse and tropical gardens.</p> <p>A high quality system with 12 nozzles (for a surface of 24M²)</p> <ul style="list-style-type: none"> * 5.5mètres of tube 3/8 " (9mm) water supply line and 11 misting lines of 61cm with 12 nozzles * easy to install - easy to use - easy to maintain : hooks up to water source/outdoor faucet/spigot * Top quality 3/8 " (9mm) poly tubing: 10 years resistance to UV. Remain solid in extreme conditions. Remains solid in extreme heat temperatures and flexible in low temperatures. Maximum water pressure: 8.6 bar. * 3/8 " (9mm) quick connections. Quick and easy installation without tools. Manual rotation to adjust misting direction. * Composite fittings - Eliminate corrosion and reduce clogging/scaling. * water consumption: with 12 nozzles : 15 liters per hour <p>Fully expandable! Systems are designed to be extended easily and successfully.</p> <p>Contents:</p> <p>5.5mètres tube 3/8 " (9mm) - 11x61cm segments of tube 3/8" - 12 premium brass nozzles - 11 nozzle tees 3/8 " (9mm) - 1 3/8 " (9mm) nozzle elbow - 1 swivel adapter - 24 mounting clamps 3/8 " (9mm) - 1 filter washer</p> <p>59.00 euros 54.00 euros</p> |

BRUMAIR Technologie



| |
|--|
| A new concept for our outside and inside comfort |
| <p>BRUMAIR's TECHNOLOGY</p> <ul style="list-style-type: none"> * A misting system is composed of nozzles and a specially designed high pressure pump. * The pump projects through the nozzles millions of micro-droplets of water (H₂O) with a diameter of 5 to 10 microns (1 micron = 1µm, that is 1 millionth of metre) * When the micro-droplets get into contact with the surrounding air, a thermodynamic reaction occurs: the droplets instantly evaporate (flash-evaporation) in the atmosphere. * The high pressure accentuates this process. * Water needs energy to evaporate (600 calories of heat to evaporate 1 gram of water). The energy (heat) used to produce this transformation (from liquid to gas) is eliminated from the atmosphere. Air is cooled down by the process called evaporative cooling. * The atmosphere can be cooled down 5 to 15°C! * The degree of refreshment depends on different variables, especially the heat temperature and the ambient humidity. <p>BRUMAIR's various misting systems are developed as well for professional as for domestic use, and fits for various applications such as:</p> <ul style="list-style-type: none"> * REFRESHMENT: Brumair allows, combined with a good air-circulation, to lower temperature outside and inside (warehouses, factories, greenhouses and all inside surfaces which are difficult to cool down with conventional AC) * HUMIDITY CONTROL: Brumair allows the control of hygrometry in numerous agricultural applications and industrial processes. * DUST REDUCTION: Brumair allows to beat down dust in suspension in the air and so to create a healthier atmosphere. * ODOUR CONTROL AND NEUTRALIZATION: Brumair destroys all olfactory nuisances. * FIRE CONTROL : Brumair allows preventiously to moisturize the surrounding air and high risk zones. * SPECIAL EFFECTS: Brumair allows the creation of a special effects: fog. * EXTERMINATION OF INSECTS: Brumair allows to eliminate mosquitoes and other insects. * CONSERVATION OF FRUITS AND VEGETABLES: Brumair allows conservation of the initial weight (compensates for 85 % of deshydration) while assuring a nice presentation for consumers. <p>BRUMAIR's Misting Systems have been engineered to be :</p> <ul style="list-style-type: none"> ° RELIABLE WITH HIGH QUALITY ° COMPETITIVELY PRICED ° ENVIRONMENTAL ° EASY TO INSTALL ° EASY TO MAINTAIN ° EASY TO USE ° SILENT ° COMPACT AND DISCREET, EXPANDABLE <p>&nbsp;</p> |
| 0.00 euros |


Pompe de Brumisation



| |
|----------------------------------|
| High pressure pump 12 lpm/70bars |
| Modèle BRNUM1270 |
| 1700.00 euros |



| |
|----------------------------------|
| High pressure pump 15 lpm/70bars |
| Modèle BRNUM1570 |
| 1556.00 euros |



| |
|---------------------------------|
| high pressure pump 2 lpm 70bars |
| Modèle BRNUM0270 |
| 1294.00 euros |



| |
|---------------------------------|
| High pressure pump 2 lpm/70bars |
| Modèle BRNUM0270C |
| 1490.00 euros |



| |
|----------------------------------|
| High pressure pump 20 lpm/70bars |
| Modèle BRNUM2070 |
| 2612.00 euros |




| |
|----------------------------------|
| High pressure pump 24 lpm/70bars |
| Modèle BRNUM2470 |
| 3310.00 euros |

| |
|---|
| High pressure pump 2lpm/70bars, fully equiped |
| Modèle BRNUM0270N |
| 2236.00 euros |



| |
|---------------------------------|
| High pressure pump 36lpm/70bars |
| Modèle BRNUM3670 |
| 3862.00 euros |



| |
|---------------------------------|
| High pressure pump 4 lpm/70bars |
| Modèle BRNUM0470 |
| 1294.00 euros |

| |
|---|
| High pressure pump 4 lpm/70bars, fully equipped |
| Modèle BRNUM0470N |
| 2236.00 euros |




| |
|--------------------------------|
| High pressure pump 4lpm/70bars |
| Modèle BRNUM0470C |
| 1490.00 euros |



| |
|--|
| High pressure pump 9 lpm/70bars with box |
| Modèle BRNUM0970C |
| 1490.00 euros |

| |
|--|
| High pressure pump 9 lpm/70bars/fully equipped |
| Modèle BRNUM0970N |
| 2507.00 euros |



| |
|--------------------------------|
| High pressure pump 9lpm/70bars |
| Modèle BRNUM0970 |
| 1294.00 euros |

Brumisateur autonome

| Compact Misting System |
|---|
| Modèle BRCCOMP1 |
| <p>The Compact misting system is a portable system including the high pressure pump with 1 filter 5 microns, 1 celluloid valve and a pressure gauge in its base. A simple connection to the water-network is enough. This system is very practical and can be used very easily in lots of applications. You connect up simply water and electricity and you can at instant benefit all the advantages of misting.</p> <ul style="list-style-type: none"> - cools in silence up to 30 M² - without installation: 1 electrical catch, 1 simple water connexion - Oscillating fan adjustable in height - 3 speeds fan - stainless steel misting with 4 nozzles, 2 games of 4 nozzles - water filter 5 μ, solenoid valve, ceramic valve pump, motor 1450trs / min - pump high pressure 60 bars - very weak consumption: water 21 litres / Hr, electrical 350W - light weight: 47 Kg - dimensions: diam fan 67cm, Hmin 163cm, Hmax 200cm - CE - warant : 1 year |
| 2295.00 euros 1499.00 euros |



| Self contained Misting system LFO |
|--|
| Modèle BRBOLF504 |
| <p>Self Containing misting system 70bars / 220V / 50Hz, model LFF, with oscillation. Suits for misting 50M².</p> <p>Works in complete autonomy during 3 1/2Hr on simple electricity network.</p> <p>Contains : control of level of water, filtering 5 microns+polyphosphates, 50-liter watertank, ring 4 nozzles of 0.3mm, 3 speed fan, independant misting and ventilation, adjustable fan, easy displacement on 4 wheels (2 with brake), protection of the base/ pump, simple maintainance: change oil after 500Hr, weak consumption of electricity: 5.5Amp.</p> <p>Dimensions: 77x71x240cm. Diam of fan :500mm</p> |
| 6880.00 euros |



| |
|---|
| Self containing misting system LFF |
| Modèle BRBFLF504 |
| Self Containing misting system 70bars / 220V / 50Hz, model LFF, without oscillation. Suits for misting 30M ² . |
| Works in complete autonomy during 3 1/2Hr on simple electricity network. |
| Contains : control of level of water, filtering 5 microns+polyphosphates, 50-liter watertank, ring 4 nozzles of 0.3mm, 3 speed fan, independant misting and ventilation, adjustable fan, easy displacement on 4 wheels (2 with brake), protection of the base/ pump, simple maintenance: change oil after 500Hr, weak consumption of electricity: 5.5Amp. |
| Dimensions: 77x71x240cm. Diam of fan :500mm |
| 6125.00 euros |

Mistingfans



| CHOOSE YOUR COLOR |
|--|
| <p>Brumair offers you a large Color-choice for its high Pedestal Misting Fan. Choose your preferred color to integrate it at its best your misting fans into your environment.</p> <p>Do not hesitate to contact us to know the extra delay and price on the different colors!</p> |
| 1665.00 euros |



| Misting Fan DAF |
|---|
| <p>Modèle BRVGFDA504</p> <p>Professional Misting fan adapted to a high number of applications, low pedestal or wall/ceiling mounted. IP55. High Velocity. Very solid and robust. Diam. of the fan 400mm.</p> <p>With misting 4 nozzles 0.3mm or 0.2mm (ring with more nozzles available on request). Quick connection slip-lock for 3 / 8 "tube</p> <p>*Equipped with a handle for easy displacement.</p> <p>*Low pedestal 50 cm</p> <p>*Tube adapted for suspension with profiles or chains</p> <p>*security-grills to both ends according to EC-norms</p> <p>*3 speed- motor / Electrical Cable (3 metres)</p> <p>Standard colour: white. Black on request.</p> <p>Mists an area of 35M²</p> |
| 725.00 euros |



| Satellite Misting Fan BOF |
|---|
| <p>Modèle BRVSFBO554</p> <p>High velocity professional Misting Fan for use (outside or inside) with all series high pressure pump models. IP55 (protection standard; water and dust resistant)</p> <p>Suits for misting an area of 30M².</p> <p>Equipped with misting 4 nozzles 0.3mm or 0.2mm (misting with 6 or 8 nozzles on demand). 3 ventilation speeds. Directional fan. 2 wheels for easy displacement. High pressure tube slip-lock connexion. Independent misting and ventilation control. Serial mounting of the fans possible. Fan diameter 555mm. BOF model without oscillation. Height adjustable (maxi 240cm, mini 170cm)</p> <p>Standard color : black. Other colors possible on demand with extra delay.</p> <p>Suits for misting an area of 30M²</p> |
| 1665.00 euros |

Kit prêt à l'emploi

| |
|---------------------------|
| Fan Kit 120M ² |
| Modèle BRKV120 |
| 7996.00 euros |

| |
|--------------------------|
| Fan Kit 40M ² |
| Modèle BRNKV030 |
| 2999.00 euros |

| |
|--------------------------|
| Fan Kit 60M ² |
| Modèle BRKV060 |
| 4664.00 euros |



| |
|--|
| Kit Tubing Nylon High Pressure 100M ² |
| Modèle BRNKN50 |
| 2612.00 euros |

| |
|--|
| Kit Tubing Nylon High Pressure 150M ² |
| Modèle BRNKN75 |
| 3136.00 euros |

| |
|--|
| Kit Tubing Nylon High Pressure 300M ² |
| Modèle BRNKN150 |
| 4245.00 euros |

| |
|---|
| Kit Tubing Nylon High Pressure 48M ² |
| Modèle BRNKN24 |
| 2061.00 euros |

| |
|--|
| Kit Tubing Nylon High Pressure 500M ² |
| Modèle BRNKN250 |
| 7270.00 euros |



| |
|--|
| Mini-kit Tubing High Pressure 16M ² |
| Modèle BRNKN08 |
| 1666.00 euros |



| |
|--|
| Mini-kit Tubing High Pressure 24M ² |
| Modèle BRNKN12 |
| 1718.00 euros |

| |
|--|
| Pack Fan 35M ² |
| Modèle BRKVI30 |
| <p>PACK&nbsp;BRUMAIRISATEUR /&nbsp;WALLmount OR SOIL</p> <p>&nbsp;This&nbsp;misting solution fits to all circumstances:</p> <ul style="list-style-type: none"> - easily transportable - compact and light; solid and robust - weak energy consumption and consumption of water (10 litre an hour) - no maintenance and quick installation -&nbsp;outside and inside usage. Indication of protection (insulation and waterproof quality):F / IP55 - expandable up to 2 fans on the same pomp 1 LPM or 10 fans on the pomp 2 LPM. <p>The pack&nbsp;consists of: A special mistingpomp&nbsp;70 bar 1 LPM, 1 mistfan&nbsp;model BRVGFDA405, Soil or Wall diameter 400mm, in high debit&nbsp;of air equipped with 5 nozzles, 5 metres of&nbsp;highpressure tubing, flexible&nbsp;, 1 filter 10 μ and quick connections.</p> <p>Colour standard white, white pales. Exist in black&nbsp;on request.</p> <p>Additional cost for a pomp 2LPM:180 euro HT</p> <p>Mists&nbsp;a space of 35M².</p> |
| 1841.00 euros |

Tubing nylon



| |
|---------------------|
| Construction scheme |
| 0.00 euros |



| |
|---|
| Mist line hanger |
| Modèle BRNFXC18 |
| Mist line hanger metal and rubber diam. 8 |
| 0.39 euros |



| |
|---|
| Nylon HP tube per meter |
| Modèle BRN38100 |
| High Pressure Nylon tube 3/8" anti UV per meter |
| 3.34 euros |



| |
|-----------------------------|
| Tube Nylon HP Pré-cut 300cm |
| Modèle BRNT38300 |
| 10.04 euros |



| |
|----------------------------|
| Tube Nylon HP Pré-cut 75cm |
| Modèle BRNT38075 |
| 2.52 euros |



| |
|----------------------|
| Tubing Knife |
| Modèle BRNCOPC |
| Special tubing Knife |
| 34.98 euros |

Tubing nylon -/- Porte-Buse



| |
|-------------|
| Drain set |
| Modèle BRNC |
| 8.73 euros |



| |
|---------------|
| End cap |
| Modèle BRNB38 |
| 1.33 euros |



| |
|----------------|
| Nozzle adaptor |
| Modèle BRNPA1 |
| 3.44 euros |



| |
|-----------------------|
| Nozzle extension 50mm |
| Modèle BRNPR |
| 3.88 euros |



| |
|------------------|
| Nozzle fitting 1 |
| Modèle BRNP381 |
| 4.54 euros |



| |
|------------------|
| Nozzle fitting 2 |
| Modèle BRNP382 |
| 5.24 euros |



| |
|------------------|
| Nozzle fitting 4 |
| Modèle BRNP384 |
| 18.02 euros |



| |
|------------------|
| Nozzle fitting 6 |
| Modèle BRNP386 |
| 21.10 euros |



Nozzle fitting line end

Modèle BRNP38F

3.59 euros

Tubing nylon -/- Raccords



| |
|--------------------|
| Cross fitting 3/8" |
| Modèle BRNR38X |
| 14.53 euros |



| |
|--------------------|
| Elbow fitting 3/8" |
| Modèle BRNR38C |
| 6.19 euros |



| |
|-----------------|
| Line divider 4 |
| Modèle BRNR38D4 |
| 27.28 euros |



| |
|-----------------|
| Line divider 6 |
| Modèle BRNR38D6 |
| 30.36 euros |



| |
|---------------------|
| Réducteur 1/2"-3/8" |
| Modèle BRNR1238R |
| 6.65 euros |



| |
|------------------|
| Tee fitting 3/8" |
| Modèle BRNR38T |
| 8.83 euros |




| |
|-----------------|
| Tube union 3/8" |
| Modèle BRNR38D |
| 3.88 euros |

Tubing nylon -/- Buses



| |
|-------------------|
| Anti-drip adapter |
| Modèle BRNAG |
| Anti-drip adapter |
| 3.57 euros |



| |
|-----------------------------|
| Bouchon d'obturation |
| Modèle BRNPLBR |
| Bouchon d'obturation laiton |
| 5.90 euros |



| |
|---|
| Nozzle 0.15mm |
| Modèle BRNB1 |
| Mistin nozzle 0.15mm 10/24 thread brass and stainless steel |
| 5.93 euros |



| |
|--------------------------------------|
| Nozzle 0.15mm with anti-drip |
| Modèle BRNB1A |
| Misting nozzle 0.15mm with anti-drip |
| 9.27 euros |



| |
|--------------|
| Nozzle 0.2mm |
| Modèle BRNB2 |
| 4.80 euros |



| |
|-----------------------------|
| Nozzle 0.2mm with anti-drip |
| Modèle BRNB2A |
| 8.16 euros |



| |
|--------------|
| Nozzle 0.3mm |
| Modèle BRNB3 |
| 3.75 euros |



| |
|-----------------------------|
| Nozzle 0.3mm with anti-drip |
| Modèle BRNB3A |
| 7.08 euros |



| |
|--------------|
| Nozzle 0.4mm |
| Modèle BRNB4 |
| 3.08 euros |

| |
|-----------------------------|
| Nozzle 0.4mm with anti-drip |
| Modèle BRNB4A |
| 6.42 euros |



| |
|--------------|
| Nozzle 0.5mm |
| Modèle 3.08 |
| 3.08 euros |

| |
|-----------------------------|
| Nozzle 0.5mm with anti-drip |
| Modèle BRNB5A |
| 6.42 euros |

Tubing nylon -/- Accessoires



connection filter -pump per meter

Modèle BRNLF10

Polypropylène tube connects the filterunit to the pump.diam. 10mm.price per meter.

0.49 euros



NPTM connector 1/2

Modèle BRNE1238

4.67 euros



NPTM connector 1/4

Modèle BRNE1438

3.23 euros



NPTM connector 3/8

Modèle BRNE3838

3.72 euros



tube connection water outlet-filter

Modèle BRNLBPB

Tube recording filterunit to faucet/spigot

4.62 euros

Filtration



| |
|-----------------|
| Modèle BRNFAC10 |
| 45.00 euros |

| |
|---------------------------|
| cartridge filter 5/10/25µ |
| Modèle BRNFR10 |
| 5.70 euros |

| |
|-------------------|
| Filter 10/25µ |
| Modèle BRNF102510 |
| 203.00 euros |

| |
|--|
| Filter 10µ |
| Modèle BRNF1010 |
| Simpel Filter element with manometer 10" |
| 102.00 euros |

| |
|---|
| Filter 5/10/25µ |
| Modèle BRNF5102510 |
| Filter triple 5/10/25 µ complete with mano 10" |
| 279.00 euros |

| |
|---|
| HP In-Line filter |
| Modèle FRNFIL38 |
| <p>&nbsp;A MUST for all&nbsp;misting installations&nbsp;. This In-Line Filter&nbsp;fits&nbsp;on the high pressure&nbsp;network,&nbsp;after the highpressurepump.</p> <p>With this filter, you avoid once and for all that&nbsp;nozzles get blocked with micro-particles&nbsp;from the highpressurepump.&nbsp;Even with a good filter-system&nbsp;at the beginning of&nbsp;LOW pressure tubing, water&nbsp;inevitably in the pomp HIGH pressure and afterwards in network HIGH pressure, or of micro-particles can break loose and eventually block up buzzards.</p> <p>With this new filter in - line, you will not have this problem anymore! The filter comes easily on the network&nbsp;with quick connections (slip - lock) in 3/8 " (8mm). Suits for any system up to 15 litres&nbsp;per minute. Quality stainless steel 304. Tested&nbsp;at 250 bar!</p> <p>(also exists in version 1/2 "sliplock connection up to 30 litres per minute, contact us for more details)</p> <p>Cleanable filter element.&nbsp;Filters at 75 micron. Flow 15 LPM. Lenght: 205mm. Weight: 900gr.</p> <p>Keeps the nozzles clean and gives a longer trouble free life to&nbsp;your misting system!</p> |
| 139.00 euros |

Boitier d'automatisation



| |
|---|
| Day-clock command |
| Modèle BRCEBCM01 |
| Control box single-phase with thermic protection and daily clock, manual or automatic command |
| 343.00 euros |

| |
|---|
| Hygrometric central |
| Modèle BRCECGHT01 |
| Control Box with build-in humidity- and temperature-lead, to connect on the Tempo box |
| 1379.00 euros |



| |
|------------------------------------|
| Hygrostat |
| Modèle BRCEBHS01 |
| Hygrostat, to connect on tempo box |
| 282.00 euros |

| |
|---|
| Remote control |
| Modèle BRCET01 |
| Remote controll to connect to Tempo box |
| 294.00 euros |



| |
|---|
| Tempo Box |
| Modèle BRCEBTM03 |
| Control Box Tempo with electrical protection circuit, sequentiel temporisation, manual or automatic mode and inlet service mode for humidistat or other controls. |
| 579.00 euros |

Brumisateur personnel

| |
|--|
| Mini-brumisateur personnel |
| Modèle MIHP50BL |
| <p>THIS YEAR&nbsp;DEFEAT THE HEAT ! You have FINALLY complete&nbsp;control&nbsp; with this NEW personal and rechargeable&nbsp; mister MISTOO. COOLS UNTIL 8°C.</p> <p>The&nbsp;mister MISTOO is very environmental and gives a very good&nbsp; REFRESHMENT,&nbsp;can be used:&nbsp;at the beach, in the swimming pool, on terraces, veranda 's, patio s, balconies, gardens, during your sports-activities&nbsp;, golf, tennis, football, jogging, biking, in the car (if you don't have&nbsp;AC!), in retirement homes,&nbsp;while travelling (train, plane), during your outdoor projects and also as promotional object / advertising / marketing&nbsp;...</p> <p>Very simple&nbsp;to use: FILL - PUMP -MIST</p> <p>Container&nbsp;of 500ml. Portable and rechargeable. Without batteries. Manual pump. Uses&nbsp;ordinary tap&nbsp;water. 1&nbsp;nozzle in&nbsp;brass/stainless steel&nbsp;high quality. Very lightweight(390 gr). 90cm flexible belt. With adjustable belt. Environmentalfriendly. Gives&nbsp;misting for 2 hours&nbsp;with intermittent use, 20 min. continuously.</p> |
| 29.27 euros 27.80 euros |



| |
|--|
| MISTOO STOP HEAT WAVE |
| <p>MINI MISTING SYSTEM STOPS THE HEAT!</p> <p>With this mini misting system MISTOO, change an ordinary fan into a real ultra refreshing misting system. Simply clip the tube with the nozzle-end onto your fan and the mist cloud will be propelled by the fan. This Mistoo system has a reservoir of 500ml, soo you don't need any water connexion.</p> <p>Lasts up to&nbsp;20 minutes continuously or 2 hr. with intermittent use.No batteries required! Ecological and economical.Uses ordinary tap water.</p> <p>Add ice for even cooler sensation!Quality brass & stainless steel nozzle creates a refreshing, ultra fine mist!</p> <p>MISTOO defeats the heat!</p> |
| 29.27 euros |

Electric Holgen Heating



| |
|---------------|
| Modèle 101018 |
| 67.00 euros |

| |
|----------------------------|
| Economical Functional Cost |
| 0.00 euros |



| |
|----------------|
| Giraffa:design |
| Modèle 102022 |
| 168.00 euros |

| |
|---|
| Infrared Heater Hélios Optimum Mobile15 |
| Modèle 100837 |
| 525.00 euros |



| |
|----------------------------------|
| Infrared heater Hélios Optimum15 |
| Modèle 100271 |
| 352.00 euros |

| |
|-----------------------|
| Infrared Heater VARMA |
| Modèle 830001 |
| 223.00 euros |



| |
|---|
| Infrared Heating Kit with Giraffa support |
| Modèle 100007 |
| 391.00 euros - 371.00 euros |

| Product name | Category | Page |
|---|--------------------|------|
| - Wednesday 20 Septemb | | 2 |
| - Wednesday 08 June, 2 | Filtration | 19 |
| - Monday 26 September, | Electric Holgen He | 23 |
| A new concept for our outside and inside comfort - Wednesday 08 June, 2 | BRUMAIR | |
| Technologi | 4 | |
| Anti-drip adapter - Tuesday 07 June, 200 | Buses | 16 |
| Bouchon d'obturation - Monday 30 May, 2005 | Buses | 16 |
| cartridge filter 5/10/25µ - Wednesday 08 June, 2 | Filtration | 19 |
| CHOOSE YOUR COLOR - Friday 10 June, 2005 | Mistingfans | 9 |
| Compact Misting System - Monday 23 October, 2 | Brumisateur auto | 7 |
| connection filter -pump per meter - Wednesday 08 June, 2 | Accessoires | 18 |
| Construction sheme - Thursday 09 June, 20 | Tubing nylon | 12 |
| Cross fitting 3/8" - Wednesday 08 June, 2 | Raccords | 15 |
| Day-clock command - Wednesday 08 June, 2 | Boitier d'automati | 20 |
| Drain set - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Economical Functional Cost - Monday 10 October, 2 | Electric Holgen He | 23 |
| Elbow fitting 3/8" - Wednesday 08 June, 2 | Raccords | 15 |
| End cap - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Fan Kit 60M ² - Thursday 02 June, 20 | Kit prêt à l'emplo | 10 |
| Fan Kit 120M ² - Thursday 02 June, 20 | Kit prêt à l'emplo | 10 |
| Fan Kit 40M ² - Thursday 02 June, 20 | Kit prêt à l'emplo | 10 |
| Filter 10µ - Wednesday 08 June, 2 | Filtration | 19 |
| Filter 10/25µ - Wednesday 08 June, 2 | Filtration | 19 |
| Filter 5/10/25µ - Wednesday 08 June, 2 | Filtration | 19 |
| Giraffa:design - Monday 26 September, | Electric Holgen He | 23 |
| High pressure pump 4 lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 6 |
| High pressure pump 15 lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| High pressure pump 36lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| High pressure pump 2lpm/70bars, fully equiped - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| High pressure pump 12 lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| High pressure pump 4 lpm/70bars, fully equiped - Tuesday 31 May, 2005 | Pompe de Brumisati | 6 |
| High pressure pump 4lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 6 |
| High pressure pump 9 lpm/70bars/fully equiped - Tuesday 31 May, 2005 | Pompe de Brumisati | 6 |
| High pressure pump 24 lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| High pressure pump 2 lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| high pressure pump 2 lpm 70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |

| | | |
|---|--------------------|----|
| High pressure pump 20 lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 5 |
| High pressure pump 9 lpm/70bars with box - Tuesday 31 May, 2005 | Pompe de Brumisati | 6 |
| High pressure pump 9lpm/70bars - Tuesday 31 May, 2005 | Pompe de Brumisati | 6 |
| HP In-Line filter - Monday 15 January, 2 | Filtration | 19 |
| Hygrometric central - Wednesday 08 June, 2 | Boitier d'automati | 20 |
| Hygrostat - Wednesday 08 June, 2 | Boitier d'automati | 20 |
| Infrared heater Hélios Optimum15 - Monday 26 September, | Electric Holgen He | 23 |
| Infrared Heating Kit with Giraffa support - Monday 26 September, | Electric Holgen He | 23 |
| Infrared Heater VARMA - Monday 26 September, | Electric Holgen He | 23 |
| Infrared Heater Hélios Optimum Mobile15 - Monday 26 September, | Electric Holgen He | 23 |
| JOIN OUR DISTRIBUTION NETWORK - Thursday 09 June, 20 | DISTRIBUTORS | 22 |
| Kit Tubing Nylon High Pressure 300M ² - Wednesday 01 June, 2 | Kit prêt à l'emplo | 10 |
| Kit Tubing Nylon High Pressure 48M ² - Tuesday 31 May, 2005 | Kit prêt à l'emplo | 10 |
| Kit Tubing Nylon High Pressure 500M ² - Wednesday 01 June, 2 | Kit prêt à l'emplo | 10 |
| Kit Tubing Nylon High Pressure 150M ² - Wednesday 01 June, 2 | Kit prêt à l'emplo | 10 |
| Kit Tubing Nylon High Pressure 100M ² - Tuesday 31 May, 2005 | Kit prêt à l'emplo | 10 |
| Line divider 6 - Wednesday 08 June, 2 | Raccords | 15 |
| Line divider 4 - Wednesday 08 June, 2 | Raccords | 15 |
| Low Pressure Misting Kit - Monday 13 February, | Low Pressure Misti | 3 |
| Mini-brumisateur personnel - Monday 30 May, 2005 | Brumisateur person | 21 |
| Mini-kit Tubing High Pressure 16M ² - Tuesday 31 May, 2005 | Kit prêt à l'emplo | 11 |
| Mini-kit Tubing High Pressure 24M ² - Tuesday 31 May, 2005 | Kit prêt à l'emplo | 11 |
| Mist line hanger - Tuesday 07 June, 200 | Tubing nylon | 12 |
| Misting Fan DAF - Thursday 02 June, 20 | Mistingfans | 9 |
| MISTOO STOP HEAT WAVE - Thursday 20 July, 20 | Brumisateur person | 21 |
| Nozzle 0.4mm with anti-drip - Tuesday 07 June, 200 | Buses | 17 |
| Nozzle 0.5mm - Tuesday 07 June, 200 | Buses | 17 |
| Nozzle 0.5mm with anti-drip - Tuesday 07 June, 200 | Buses | 17 |
| Nozzle 0.15mm - Tuesday 07 June, 200 | Buses | 16 |
| Nozzle 0.4mm - Tuesday 07 June, 200 | Buses | 17 |
| Nozzle 0.15mm with anti-drip - Tuesday 07 June, 200 | Buses | 16 |
| Nozzle 0.3mm with anti-drip - Tuesday 07 June, 200 | Buses | 16 |
| Nozzle 0.2mm - Tuesday 07 June, 200 | Buses | 16 |
| Nozzle 0.3mm - Tuesday 07 June, 200 | Buses | 16 |

| | | |
|--|--------------------|----|
| Nozzle 0.2mm with anti-drip - Tuesday 07 June, 200 | Buses | 16 |
| Nozzle adaptor - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Nozzle extension 50mm - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Nozzle fitting 4 - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Nozzle fitting 2 - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Nozzle fitting 1 - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Nozzle fitting 6 - Wednesday 08 June, 2 | Porte-Buse | 13 |
| Nozzle fitting line end - Wednesday 08 June, 2 | Porte-Buse | 14 |
| NPTM connector 1/2 - Wednesday 08 June, 2 | Accessoires | 18 |
| NPTM connector 1/4 - Wednesday 08 June, 2 | Accessoires | 18 |
| NPTM connector 3/8 - Wednesday 08 June, 2 | Accessoires | 18 |
| Nylon HP tube per meter - Tuesday 07 June, 200 | Tubing nylon | 12 |
| Pack Fan 35M ² - Monday 23 January, 2 | Kit prêt à l'emplo | 11 |
| Remote control - Wednesday 08 June, 2 | Boitier d'automati | 20 |
| Réducteur 1/2"-3/8" - Wednesday 08 June, 2 | Raccords | 15 |
| Satellite Misting Fan BOF - Thursday 02 June, 20 | Mistingfans | 9 |
| Self containing misting system LFF - Wednesday 01 June, 2 | Brumisateur auto | 8 |
| Self contained Misting system LFO - Wednesday 01 June, 2 | Brumisateur auto | 7 |
| Tee fitting 3/8" - Wednesday 08 June, 2 | Raccords | 15 |
| Tempo Box - Wednesday 08 June, 2 | Boitier d'automati | 20 |
| tube connection water outlet-filter - Wednesday 08 June, 2 | Accessoires | 18 |
| Tube Nylon HP Pré-cut 300cm - Friday 03 June, 2005 | Tubing nylon | 12 |
| Tube Nylon HP Pré-cut 75cm - Friday 03 June, 2005 | Tubing nylon | 12 |
| Tube union 3/8" - Wednesday 08 June, 2 | Raccords | 15 |
| Tubing Knife - Tuesday 07 June, 200 | Tubing nylon | 12 |